## **IN THE CLAIMS**

This listing of claims replaces all prior versions in this application.

Claims 1-21 (canceled)

- 22. (currently amended) A process for preparing a human cancer cell-transplanted nude mouse or nude rat comprising:
- (a) preparing a cell culture support coated on a surface, wherein the cell culture support is comprised of a polymer, which is homo- [[and/]]or co-polymer of N-isopropylacrylamide;
- (b) cultivating the human cancer cells on the cell culture support at a temperature at which the polymer is dehydrated;
- (c) cooling the cell culture support to a temperature at which the polymer is hydrated, whereby a sheet of the human cancer cells is detached from the cell culture support; and
- (d) transplanting the sheet of cancer cells to a specified site of a nude mouse or nude rat;

said process being performed without ethyleneglycol bis(2-aminoethylether) tetraacetic acid.

Claims 23-24 (canceled)

- 25. (withdrawn) A human cancer cell-transplanted nude mouse or nude rat prepared by the process according to claim 22.
- 26. (previously presented) A method of selecting an anti-tumor agent comprising: administering a test substance to a human cancer cell-transplanted nude mouse or nude rat prepared according to claim 22 and

selecting a test substance that reduces volume and/or weight of a tumor formed from the sheet of human cancer cells.

- 27. (currently amended) A process for preparing a human cancer cell-transplanted nude mouse or nude rat comprising:
- (a) preparing a cell culture support coated on a surface with a polymer, which is a homo- [[and/]]or co-polymer of N-isopropylacrylamide;
- (b) cultivating the human cancer cells on the <u>cell</u> culture support at a temperature <u>of above a lower critical solution temperature of the homo- or co-polymer of N-isopropylacrylamide at which the polymer has weak hydration force;</u>
- (c) cultivating the human cancer cells on the support at a temperature of a lower critical solution temperature of the homo- or co-polymer of N-isopropylacrylamide or below at which the polymer has a strong hydration force, whereby the cultivated human cancer cells are detached from the cell culture support; and
- (d) transplanting the detached human cancer cells to a specified site of a nude mouse or nude rat on which transplantation is to be performed; said process being performed without ethyleneglycol bis(2-aminoethylether) tetraacetic acid.
- 28. (previously presented) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 27, wherein the detached human cancer cells are in a sheet form.
- 29. (currently amended) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 28[[,]] <u>further comprising preparing the detached human cancer cells in sheet form into a specific shape wherein a human cancer cell sheet to be transplanted is</u>

prepared in a specified shape of a specified size so that the size and/or shape of cancer tissue in the nude mouse or nude rat is controlled.

- 30. (previously presented) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 27, wherein a carrier is placed in contact over the cultivated human cancer cells at the end of cultivation and the human cancer cells are detached intact together with the carrier.
- 31. (currently amended) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 27, wherein the human cancer cells are of a transplantable cell line.
- 32. (currently amended) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 31, wherein the transplantable cell line is selected from the group consisting of HBC-4, BSY-1, HBC-5, MCF-5, MCF-7, MDA-MB-231, U251, SF-268, SF-295, SF-539, SNB-75, SNB-78, HCC2998, KM-12, HT-29, WiDr, HCT-15, HCT-116, NCI-H23, NCI-H226, NIC-H522, NCI-H460, A549, DMS273, DMS114, LOX-IMVI, OVCAR-3, OVCAR-4, OVCAR-5, OVCAR-8, SK-OV-3, RXF-631L, ACHN, St-4, MKN1, MKN7, MKN28, MKN45, [[and]] MKN74, MGT-40, MGT-90, CS-C9 and CS-C20.

Claims 33-34 (canceled)

35. (currently amended) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 27, wherein the human cancer cells are collected from a living tissue.

36. (previously presented) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 27, wherein no more than  $8 \times 10^5$  cells are transplanted.

Claims 37-39 (canceled)

- 40. (withdrawn) A cancer cell-transplanted nude mouse or nude rat prepared by the process according to claim 27.
- 41. (currently amended) A method of selecting an anti-tumor agent comprising administering a test substance to a nude mouse or nude rat by the process according to claim27 before and/or after transplanting step (d) human cancer cells therein during preparation of a human cancer cell-transplanted nude mouse or nude rat by the process according to claim 27 and evaluating the effect of the administered test substance on tumor formation.
- 42. (previously presented) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim 22, wherein the human cancer cells are detached from the cell culture support without being treated with a proteolytic enzyme.
- 43. (currently amended) The process for preparing a human cancer cell-transplanted nude mouse or nude rat according to claim [[22]] <u>27</u>, wherein the human cancer cells are detached from the cell culture support without being treated with a proteolytic enzyme.